

### Product Specification Sheet

Date Published:	01/07/2024
Version Number:	8
Document Number:	PSS-0059

## VIBE PRO® DISPENSER



<b>Vectair Model:</b>	VIBE PRO®				
<b>Description:</b>	AIRCARE DISPENSER				
<b>Product Category</b>	AIRCARE				
Product Variant:	Stock Code	Barcode			
		QTY.	EU	US (UPC-A)	US (ITF-14) Warehouse
WHITE/SILVER	VIBE-PRO-WS	X1	5060060076679	847583008753	n/a
		X6	5060060076709	847583008784	10847583008781
BLACK/SILVER	VIBE-PRO-BS	X1	5060060076662	847583008746	n/a
		X6	5060060076693	847583008777	10847583008774

<b>Product Description:</b>	VIBE PRO® is an air care dispenser that utilizes our patented & patent pending dispenser & refill technology, including our patented Vibrating Mesh Technology (VMT). The dispenser produces highly effective & consistent fragrance performance from start to finish.
<b>Features and Benefits:</b>	<ul style="list-style-type: none"> <li>■ Unlike heavier aerosol droplets which fall within minutes, the VMT micro particles are much smaller and lighter, remaining airborne for many hours.</li> <li>■ Pure fragrance oil is delivered in reliable and precise quantities using vibrating mesh technology. A mesh or membrane with 2,000 laser cut holes vibrates producing a mist of fine fragrance micro particles.</li> <li>■ VIBE PRO® is environmentally safe. The fragrance formulation is VOC exempt* &amp; contains no propellants or CFCs.</li> <li>■ It delivers superior fragrance for up to 90 days, covering a space of up to 510m<sup>3</sup> / 18,000ft<sup>3</sup>.</li> <li>■ One VIBE PRO® cartridge can replace up to three high volume metered aerosol cans or up to six passive fragrance refills.</li> </ul>

<b>Material(s):</b>	PP + PPS + POM.			
<b>Critical Dimensions – Product: (H x W x D)</b>	<b>mm</b>	249.5 x 117.5 x 105	<b>inches</b>	9.8 x 4.6 x 4.1
<b>Weight – Product:</b>	<b>kg</b>	0.6	<b>lb</b>	1.3
<b>Packaging Specifications:</b>	x1/x6.			
<b>X 1 Carton dimensions: (L x W x H)</b>	<b>mm</b>	148 x 132 x 295.5	<b>inches</b>	5.8 x 5.2 x 11.6

**EMEA Head Office:** Vectair Systems Ltd | Unit 3, Trident Centre | Armstrong Road | Basingstoke | Hampshire | RG24 8NU | UK  
 General Enquiries: [emea.info@vectairsystems.com](mailto:emea.info@vectairsystems.com) | Tel: +44 (0) 1256 319 500 | Fax: +44 (0) 1256 319510

**North American Headquarters:** Vectair Systems Inc. | 2095 Spicer Cove | Covington Way Dist. Centre | Memphis | TN 38134 | USA  
 General Enquiries: [info@vectairsystems.com](mailto:info@vectairsystems.com) | Tel: +1 901 373 7818 | Toll Free: 877 697 7276

## Product Specification Sheet

Date Published:	01/07/2024
Version Number:	7
Document Number:	PSS-0059

<b>Gross Weight (x 1):</b>	<b>kg</b>	0.85	<b>lb</b>	1.87
<b>X 6 Carton dimensions: (L x W x H)</b>	<b>mm</b>	423 x 316 x 320	<b>inches</b>	16.7 x 12.4 x 12.6
<b>Gross Weight (x 6):</b>	<b>kg</b>	6	<b>lb</b>	13.2
<b>Pallet Quantity:</b>	Road & Sea = 24 Cases of 6 (144 units) Pallet = 1200 x 1000 x 1110			
<b>Fragrance Longevity:</b>	Up to 90 days			
<b>Fragrance Coverage:</b>	<b>m<sup>3</sup></b>	Effective in room sizes up to 510m <sup>3</sup> .	<b>ft<sup>3</sup></b>	Effective in room sizes up to 18010 ft <sup>3</sup> .
<b>Capacity:</b>	2400 metered sprays per fragrance refill.			
<b>Batteries:</b>	The following 1.5v alkaline battery brands are approved for use with this device: <ul style="list-style-type: none"><li>■ Energizer Industrial EN95 D (LR20)</li><li>■ Procell Intense D (LR20) PX1300</li><li>■ Panasonic Powerline D (LR20AD)</li><li>■ Rayovac Fusion D (LR20) 813FUS</li><li>■ Varta Longlife Max Power D (LR20)</li></ul>			
<b>Battery life:</b>	Approximate battery life; between 6 to 18 months, depending on program set up and battery brand used.			
<b>Warranty:</b>	1 year guarantee against defects in part and workmanship.			
<b>Recommended Operating Conditions:</b>	<ul style="list-style-type: none"> <li>■ Ambient Operating temperature: 15°C/59°F to 35°C/95°F.</li> <li>■ Operating Temperatures of most batteries: 10°C/50°F to 35°C/95°F.</li> </ul>			
<b>Recommended Storage Conditions:</b>	<ul style="list-style-type: none"> <li>■ Storage temperature: 5°C/41°F to 40°C/104°F.</li> <li>■ Store in a dry place.</li> </ul>			
<b>Waste Disposal:</b>	<ul style="list-style-type: none"> <li>■ Dispose of product in accordance with national regulations.</li> </ul>			
<b>Approval(s):</b>	<b>CE &amp; FCC</b> <ul style="list-style-type: none"> <li>■ REACH SVHC &lt; 0.1% (w/w).</li> <li>■ RoHS Directive 2011/65/EU</li> <li>■ FCC 47 CFR Part 15, Subpart B: 2014</li> <li>■ Directive 2014/30/EU (IC124)</li> </ul>		<ul style="list-style-type: none"> <li>■ EN 61000-3-2:2014</li> <li>■ EN 61000-3-3:2013</li> </ul>	
<b>Country of Manufacture:</b>	Malaysia			
<b>Commodity Code:</b>	8424.8970			

Product Specification Sheet	
Date Published:	01/07/2024
Version Number:	8
Document Number:	PSS-0059

Materials Specification		Material	Weight <i>(per X1 case)</i>	% Recycled material	Can be recycled?†	Code
<b>Packaging:</b>	Bag	PE (printed)	0.0087 kg	-	✗	#7 (PE)
	End Caps	Moulded Paper Pulp (FSC)	0.077 kg	100	✓	#21 (PAP)
	Label	Paper	-	-	✓	#22 (PAP)
	Carton X1	Corrugated fibreboard	0.125 kg	99	✓	#20 (PAP)

Materials Specification		Material	Weight <i>(per X6 case)</i>	% Recycled material	Can be recycled?†	Code
<b>Packaging:</b>	Carton X6	Corrugated fibreboard	0.775 kg	99	✓	#20 (PAP)

**Notes:** This Product Specification Sheet is true to the best of Vectair Systems knowledge at the time of publishing and we reserve the right to make changes without notification.

\*VOC regulations in the US and Canada only. The products are air fresheners and contain nothing defined as a VOC that is not a fragrance component and therefore the general exemption for air fresheners of 94510.F applies. Section 94510.F applies to the product from the US federal "Consumer Products Regulation". The formulations are "pure fragrance" or "fragrance-only".

There are currently no restrictions or regulation on VOC content in air fresheners in Europe.

† Dependant on your local/regional/national/international recycling schemes.